


Quick Start Guide

for xMac mini (2024+) Module




Support Note: This document was up to date at the time of printing. However, changes to the hardware or software may have occurred since then. Please check the Sonnet website for the latest documentation.

1. Go to <https://www.sonnettech.com/support/kb/kb.php>
2. Navigate to and click the xMac mini (2024+) Module link.
3. Click the Manual link.
4. Click the xMac mini (2024+) Module Quick Start Guide [English] link and then check the Document Version information. If the version listed on the last page of this manual is later than this document (**revision A**), click the Download Now button for the latest version.



xMac mini (2024+) Module Description



Front Panel

1 – 10Gb/s USB-C Port

This port's cable connects to the Mac mini mounted at the rear of the module. Connect a USB device to this port.

2 – External Cable Passthrough Grommet


This opening enables the connection of devices to the installed computer(s) through the front panel.

3 – Rear Computer Power Switch

This button activates the power button of the Mac mini mounted toward the back of the module.

4 – Front Computer Power Switch


This button activates the power button of the Mac mini mounted at the front of the module.



Back Panel

5 – Power Input Socket

Connect the included AC power cable here.



Power Cable

Connect this between a power outlet and the power input socket on the module. Note that the power cable included with your product may appear different than the one pictured here, depending on where the product was purchased.

xMac mini (2024+) Module Description

Interior

1 – Front Computer Brace

This bracket secures the Mac mini mounted at the front of the module.

2 – Front Computer Power Cable

Connect this to the Mac mini mounted at the front of the module.

3 – Rear Computer Brace


This bracket secures the Mac mini mounted at the rear of the module.

4 – 10Gbps USB-C Passthrough Cable for Rear Computer

This cable connects to the front panel USB-C port of the module and the front panel USB-C port of the Mac mini mounted at the rear of the module.




5 – Rear Computer Power Cable

Connect this to the Mac mini mounted at the rear of the module.



Mac mini Installation Overview

1. Remove the Front Computer Brace when installing one Mac mini.
Remove both Front and Rear Computer Braces when installing two Mac minis.
2. Install the Mac mini(s) into the module.
3. Secure the Mac mini(s) to the module with the computer brace(s).
4. Connect the power cable(s) to the Mac mini(s). If necessary, connect the USB-C cable to the Mac mini installed at the rear of the module.



Support Information

Contacting Customer Service

Before contacting Customer Service, please check the Sonnet Web site (www.sonnettech.com) for the latest updates and files. When you contact Customer Service, please have the following information available:

- Product name
- Computer model

If further assistance is needed, contact **Sonnet Customer Service** at:

E-mail: support@sonnettech.com

Japan Customers

Contact Sonnet Customer Service Japan at:

E-mail: jp.support@sonnettech.com

