




Quick Start Guide / Guide D'Installation Rapide xMac Studio/Echo II DV T5




Step 1 / Étape 1




Step 2 / Étape 2



Step 3 / Étape 3



Step 4 / Étape 4




PCIe Card Installation Notes

- The open slot in the middle — furthest away from the wall (slot 1) — is the preferred slot for a higher-powered PCIe card.
- When the outer PCIe slot — closest to the wall (slot 2) — is occupied, the fans operate at maximum speed.
- When installing both an Avid Pro Tools | HDX card and an SSD card, install the SSD card in slot 1 and the HDX card in slot 2.


Remarques concernant l'installation des cartes PCIe

- L'emplacement ouvert au milieu — le plus éloigné de la paroi (slot 1) — est l'emplacement recommandé pour une carte PCIe à consommation élevée.
- Lorsque l'emplacement PCIe extérieur — le plus proche de la paroi (slot 2) — est occupé, les ventilateurs fonctionnent à leur vitesse maximale.
- Lors de l'installation simultanée d'une carte Avid Pro Tools | HDX et d'une carte SSD, installez la carte SSD dans le slot 1 et la carte HDX dans le slot 2.


Step 5 / Étape 5




Step 6 / Étape 6




Step 7 / Étape 7




Step 8 / Étape 8




Step 9 / Étape 9




Step 10 / Étape 10




Step 11 / Étape 11



Step 12 / Étape 12



Step 13 / Étape 13



Step 14 / Étape 14